




(Stainless Steel / Steel Plate)

Commodity	Austenitic, Ferritic, Martensitic, Duplex, Cold Rolled, Hot Rolled
Grade	201 、 304 、 309 、 309S 、 316L 、 430 、 904L 、 2205 , etc
Standard	ISO 、 JIS 、 ASTM 、 AS 、 EN 、 GB 、 DIN 、 JIS etc
Surface	N0.1 、 N0.4 、 2D 、 2B 、 HL 、 BA 、 6K 、 8K etc
Thickness	0.1 - 200mm
Width	10 - 2000mm



(Stainless Steel Coil / Strip)


Commodity	Stainless Steel Coil/ Strip
Material Grade	201、 304、 316 etc
Standard	AISI 、 ASTM A240
Technology	Cold Rolled Hot Rolled
Thickness	Cold Roll : 0.02~6mm Hot Roll: 3 ~ 12mm
Width	100 ~ 2000mm or Customized





(Stainless Steel Square Tube , Round Pipe)

Commodity	Stainless Steel Square Tube, Round Pipe
Material Grade	301, 302, 303, 304, 309, 310, 316, 317L, 321, 347 201, 202, 204, 409, 4101, 17 - 4ph, 17 - 7ph, 904L etc
Standard	ASTM A213、ASTM A312、ASTM A789、ASTM A790
Welding Line Type	ERW、Efw、Spiral Welded, Seamless
Outer Diameter	6 - 1000mm
Thickness	0.1 - 41mm
Length	100mm - 12000mm or as per customer request





(Stainless Steel Bar)


Commodity	Square Bar、 Round Bar、 Hexagon Bar、 Flat Bar
Material Grade	301, 302, 303, 304, 309, 310, 316, 317L, 321, 347, 201, 202, 202cu, 204,409,409L,410,420,430,431,439,440,441,444, 2205, 330, 660, 630, 631, 17 -4ph, 17 - 7ph etc
Specifications	Round bar Diameter: 3mm ~ 800mm Angle bar Size: 3mm*20mm*20mm ~ 12mm*100mm*100mm Square bar Size: 4mm*4mm ~ 100mm*100mm Flat bar Thickness: 2mm ~ 100mm Width: 10mm ~ 500mm Hexagonal Size : 2mm ~ 10mm
Surface	BA, 2B, 2D,4K, 6K, 8K, NO.4, HL, SB





(Stainless Steel Profiles)

Commodity	H beam、 Channel Bar、 Angle Bar
Material Grade	Channel Bar、 Angle Bar : 200/ 300/400 series H beam: 301, 302, 303, 304, 309, 310, 316, 317L, 321, 347, 201, 202, 204,409,410,420 etc
Standard	ASTM 、 JIS 、 DIN EN 、 GB
Specification	Hot rolled angle bar/Acid angle bar/Acid angle bar: (16 - 200) x (16 - 200) x (3 - 18) x (3000 - 9000) mm or according to your requests. Hot rolled channel bar/Acid channel bar: (5 - 100) x6000mm or according to your requests. Cold drawn channel bar: (1 - 20)x6000mm or according to your requests. H beam - - H * B:100 * 100 - 900 * 300mm T1:4.5 - 21mm T2:7 - 35mm
Surface	Black, Bright (polished), Mirror, Polished, HL,8K, etc .





(Carbon Steel Plate)

Commodity

Material Grade

A 3 6 、 S S 4 0 0 、 A 2 8 3 、 G r . A 、 . G r . B . G r . C 、 A 2 8 5
G r . A 、 . G r . B . G r . C 、 Q 2 3 5 、 Q 1 9 5 、 Q 2 1 5 、 S 1 8 5 、 S M 4 0 0 、
S 2 3 5 J 0 、 S 2 3 5 J R 、 e t c

Standard

ASTM A285 、 ASTM A283 、 SA516 、 SA517 、 EN10025 -
2 - 2004 、 ASTM A572 、 ASTM A529 、 ASTM A573 e t c

Specification

Thickness: 6 . 0 - 4 0 0 m m
Width: 1 2 5 0 m m 、 1 5 0 0 m m 、 1 8 0 0 m m 、 2 0 0 0 m m 、 2 2 0 0 m m 、
2 5 0 0 m m e t c
Length: 1 0 0 0 m m 、 1 5 0 0 m m 、 2 0 0 0 m m 、 2 4 3 8 m m 、 3 0 0 0 m m 、
6 0 0 0 m m 、 8 0 0 0 m m 、 1 0 0 0 0 m m 、 1 2 0 0 0 m m e t c

Surface

Black painted, PE coated, Galvanized , e t c





(Carbon Steel Coils)

Commodity

Material Grade

Q195、Q215、Q235、Q345、ST37、A36、45#、16Mn、SPHC、SGCC、CGCC, etc

Standard

AISI、ASTM、DIN、JIS、GB、JIS、SUS、EN, etc

Specification

Hot Rolled Thickness: 2 . 75mm - 100mm
Hot Rolled Thickness: 0 . 2mm - 3mm As Your Request
width: 45mm - 2200mm As Your Request

Surface


Bare, Black, Oiled, Shot Blasted, Spray
Paint, Coated, Galvanized, or as Your Request





(Carbon Steel Pipe / Fittings)

Commodity	
Material Grade	Carbon steel pipe : Q235A, Q235B 、 0Cr13 、 1Cr17 、 X46 、 X70 、 X80 etc
Standard	Carbon steel pipe: GB 、 JIS 、 ASTM 、 BS 、 DIN etc Carbon steel pipe fittings: ASME/ANSI B16.9 / ASTM A235
Specification	Carbon steel pipe/tube OD: 219mm ~ 1820mm Thickness: 3mm - 22mm Carbon steel pipe fittings Size: 1/2 " -48 " Can be customized
Surface	Carbon steel pipe fittings: Shining Black



(Carbon Steel Bar)

Commodity	
Shape	Round,Square,Flat,Rectangle,etc.
Material Grade	Carbon steel :Q195-Q420 Series,SS400-SS540 Series,S235JR-S355JR Series, ST Series,A36-A992 Series,Gr50 Series,etc.
Dimensional Tolerance	$\pm 1\%$
Surface	Mild steel plain finish, hot dip galvanized, color coated, ect.
Processing Method	Bending, Welding, Decoiling, Cutting, Punching, Polishing or as customer's request.





(Carbon Steel Profile)

Commodity	
Type	H-beam/I-beam/Flat steel/Carbon Angle Bar/Carbon Channel Steel
Material Grade	Flat steel: Q235/Q345/ 1045/ 1060/ 1050 etc. Carbon Angle Bar : Q345B 、 Q345C 、 Q345D 、 Q345E 、 Q390 、 Q390B 、 Q390C 、 Q390D 、 Q390E etc. I-beam/H-beam: Structural steel Q235B , SM490 , SS400 , Q345B or others as buyers' requests.
Standard	Flat steel:AISI 、 J IS 、 EN 、 GB Carbon Channel Steel: AISI 、 ASTM 、 D IN 、 J IS 、 GB 、 J IS 、 SUS 、 EN etc. Carbon Angle Bar: GB 、 ASTM 、 J IS 、 EN 、 D IN
Size	Flat steel size: 3MM - 500MM and customized size length: 300mm - 1000mm and customized. Channel Steel Thickness: 1 . 0mm - 6 . 0mm or as required Length: 6m 、 9m 、 12m or as required Angle Bar: 8*8*1-200*200*20mm*Length I-beam/H-beam Thickness: web plate: 6 - 32mm wing plate: 6 -40mm Length: 1000-15000mm,according to customer requirements





(Carbon Steel Wire)

Commodity

Grade SAE1006- 1080,WA1010,Q195,SWRH32-37,SWRH42A-77A,SWRH42B-82B

Standard GB standard , ASTM standard

Wire Gauge 1 - 50 mm

Dia Tolerance +/-0.3mm

Process Hot rolled





(Carbon Steel / Rebar)

Commodity	
Grade	HRB300 、 HRB400 、 HRB500 etc
Material	Q 195 、 Q 23 5 B 、 Q 3 5 5 B ,16 Mn, ST37 40 Cr ,20 Cr Mo etc
Diameter	5mm - - 50mm / Can be customized
Length	6000mm 、 12000mm / Can be customized



(Galvanized Steel Sheet / Galvanized Steel Coils)

Commodity

Standard

ASTM 、 ANSI 、 AISI 、 JIS 、 SUS 、 DIN 、 GB etc.

Material

Galvanized Steel Sheet: CGCC/ SGCH/ S PCC/ S PCD/ SPC E/ DC0
Galvanized Steel Coils: SGCC 、 DX51D + Z 、 CGCC/ SGCH/ S PCC/ S PCD/ SPC E/ DC0

Specification

Galvanized Steel Sheet Thickness: 0.1mm ~ 3mm Width: 100mm ~ 2500mm Length: or as required. Zinc Coating: 20g - 275g/m²
Galvanized Steel Coils Thickness: 0.14mm - 1.2mm Width: 610mm-1500mm or according to customer's special request Zinc Coating: 30g-275g

Surface Treatment

Galvanized Steel Sheet: Mini/regular/big/zero spangle Passivating & Oiling & AFP & Filming
Galvanized Steel Coils: Chromated unoiled, galvanized







PPGI (PPGI Coil)

Commodity	
Material	Q195 Q235 Q345SGCC SGCH SGC340 SGC400 SGC440 SGC490 SGC570SGHC or as required
Zinc coating	AZ30-AZ180g/m2 or As required
Painting Coating	Top: 15 to 25 um (5 um + 12-20 um) back: 7 +/- 2 um or as required
Hardness	Soft hard(60), medium hard(HRB60 -85),full hard(HRB85 -95)
Surface structure	Norma, Matt, PVC film,wood grain, Flower Grained,embossed, etc
Color chart	RAL color number
Coil ID	508 / 610MM



PPGI (PPGI Board)

Commodity	
Grade	DX51D、SGCC、SGCH、SG LCC、SGLC H、Q195
Thickness	0.12 - 1.5mm
Treadth	762mm/ 680 , 670 , 660 , 655 , 650mm 9 waves 914mm/ 815 , 810 , 790 , 780mm 11waves 1000mm/ 930 915 , 910 , 905 , 900 , 880 , 875mm 12 or 14waves OR OEM
Length	1 . 5 - 12m or as client' s request
Zinc Coating	30 - 275g/m ²
Coating Thickness	Top side 15-25 micro; Back side 5-15 micro Normally, Top 17-25micro, Back 5-7 micro





ÇELİKBİLEK PLAZA
KOZYATAĞI MAH., İBRAHİMAĞA SOKAK,
NO:12, KAT:7, DAİRE: 28,34742 Kadıköy/İstanbul